

# Safety Data Sheet

## Per GHS Standard Format

### SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name:** HydroBoost No. 8313

**General Use:** Peroxide Cleaner Additive to increase cleaning.

**Product Description:** Alkaline Cleaner Additive

**Chemical Family:** Alkali/detergent blend

#### Information on the Supplier of the Safety Data Sheet

Manufactured For:  
Fiberlock Technologies, Inc.  
150 Dascomb Road  
Andover, MA 01810  
P: 800-342-3755 F: 978-475-6205

Emergency Telephone Numbers:  
CHEM TEL: (U.S.): 1-800-255-3924  
(Outside the U.S.): 813-248-0585  
Poison Control Center (Medical): 800-222-1222

### SECTION 2: HAZARDS IDENTIFICATION

Signal Word: **DANGER**



#### GHS Label Statements

Hazard Statements:

Causes serious eye damage.

Causes severe skin burns and eye damage.

Harmful if swallowed.

Harmful if inhaled.

#### GHS Classifications

This product is considered hazardous by The 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Health:

Skin Corrosion, Category 1

Eye Corrosion, Category 1

Acute Toxicity (Oral), Category 4

Acute Toxicity (Inhalation), Category 4

## PRECAUTIONARY STATEMENTS

**Prevention:** Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe fumes, mist, vapors or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container in accordance with all local, state, and federal regulations.

## EMERGENCY OVERVIEW

**Physical appearance:** Orange liquid

**Immediate concerns:** Causes irreversible eye damage and skin burns.

## POTENTIAL HEALTH EFFECTS

**Eyes:** Corrosive, contact causes severe eye burns.

**Skin:** Contact causes severe skin irritation and possible burns.

**Skin absorption:** None Expected.

**Ingestion:** Harmful if swallowed.

**Inhalation:** Mist is irritating to nose, throat and lungs.

## REPRODUCTIVE TOXICITY

**Reproductive effects:** None known.

**Teratogenic effects:** None known.

**Carcinogenicity:** None known.

**Mutagenicity:** None known.

**Routes of entry:** Eye, skin, ingestion.

**Cancer statement:** None

**Sensitization:** No known significant effects or critical hazards.

**Warning caution labels:** Corrosive

**Physical hazards:** Do not mix with acids, toilet bowl cleaners, ammonia or any other chemical. Can react to release of hazardous gases.

## SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Weight, %</u>
Sodium Silicate	6834-92-0	5-10
Potassium Hydroxide	1310-58-3	0-5
Tetrasodium ethylenediamine tetraacetate	64-02-8	0-5
Alkyl Polyglucosides	68515-73-1	0-5
Dye	N/A	<0.1
Water	7732-18-5	70-80

## SECTION 4: FIRST AID MEASURES

### Eye Contact

Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

### Skin Contact

Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

### Inhalation

Remove victim to fresh air and monitor. Seek medical advice if irritation persists.

### Ingestion

Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

### Signs and Symptoms of Overexposure

**Eyes:** Severe burning sensation, damage marked by burns.

**Skin:** Burning sensation, redness, swelling and possible blistering.

**Skin absorption:** None Expected.

**Ingestion:** Irritation of mouth, throat, along with stomach upset, vomiting.

**Inhalation:** Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

**Acute toxicity:** Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if swallowed..

**Notes to physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

## SECTION 5: FIRE-FIGHTING MEASURES

**Flammable class:** None

**Extinguishing media:** Not required

**Fire-fighting procedures:** No special requirements.

**Fire-fighting equipment:** NA = Not Applicable

**Hazardous decomposition products:** Not established

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Small spill:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Large spill:** Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

### Environmental Precautions

**Water spill:** Avoid discharges into open waterways.

**Land spill:** Avoid discharge to soil.

**Air spill:** NA = Not Applicable

**General procedures:** Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other noncombustible material and transfer to containers.

**Special protective equipment:** Eye protection, rubber gloves, rubber boots to protect feet.

## SECTION 7: HANDLING AND STORAGE

### General Procedures

Close container after use.

### Handling

Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

### Storage

Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store product away from food and water sources. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

### Storage Temperature

Store at ambient temperatures.

### Storage Pressure

Store at ambient atmospheric pressure.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

OSHA Hazardous Components (29 CFR1910.1200)

<b>Chemical Name</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>
Potassium Hydroxide	TWA: 2 mg/m <sup>3</sup> STEL:	TWA: STEL: 2 mg/m <sup>3</sup>

**Engineering controls:** Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

### Personal Protective Equipment

**Eyes and face:** Chemical splash goggles and full face-shield.

**Skin:** Rubber or other chemical resistant gloves.

**Respiratory:** A respirator is not needed under normal and intended conditions of product use.

**Work hygienic practices:** Wash with soap and water after handling. Do not eat, drink or smoke while using product.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Liquid

**Odor:** Characteristic

**Odor threshold:** Not Established

**Color:** Orange

**pH:** 13.0-14.0

**Percent volatile:** >85

**Flash point and method:** None

**Flammable limits:** N/A

**Autoignition temperature:** NA = Not Applicable

**Vapor pressure:** ~ 20 mm Hg

**Vapor density:** ~ Air = 1  
**Boiling point:** 212°F; 100°C  
**Freezing point:** 32°F; 0°C  
**Thermal decomposition:** Not available  
**Solubility in water:** Complete  
**Evaporation rate:** (Water =1) 1.0  
**Density:** 9.03  
**Specific gravity:** ~ 1.082 grams/ml  
**Viscosity:** Water thin.  
**(VOC):** None

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Stable

### Hazardous Polymerization

Will not occur.

### Conditions to Avoid

Reacts violently with strong acids.

### Possibility of Hazardous Reactions

Reacts violently with strong inorganic acid materials.

### Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Incompatible Materials

Strong inorganic acids.

## SECTION 11: TOXICOLOGICAL INFORMATION

### **Chemical Name**

Sodium Silicate

Potassium Hydroxide

Tetrasodium ethylenediamine tetraacetate

Alkyl Polyglucosides

### **Oral LD<sub>50</sub> (rat)**

1500 to 3200 mg/kg (rat)

273 mg/kg (rat)

3030 mg/kg (rat)

>5000 mg/kg (rat)

### **Dermal LD<sub>50</sub> (rabbit)**

N/A

>5000 mg/kg (rabbit)

>5000 mg/kg (rabbit)

**Eyes:** Not Established.

**Dermal LD<sub>50</sub>:** Not Established.

**Oral LD<sub>50</sub>:** >2000 Not Established.

**Inhalation LC<sub>50</sub>:** Not Established.

**Eye effects:** Corrosive to eyes. Permanent damage may occur.

**Skin effects:** Moderate to severe skin irritant.

## Carcinogenicity

**IARC:** No products were found

**Corrosivity:** Corrosive

**Sensitization:** No known significant effects or critical hazards.

**Genetic effects:** No known significant effects or critical hazards.

**Reproductive effects:** No known significant effects or critical hazards.

**Target organs:** No known significant effects or critical hazards.

**Mutagenicity:** No known significant effects or critical hazards.

## SECTION 12: ECOLOGICAL INFORMATION

**Environmental data:** Not Established

**Ecotoxicological information:** This material may be toxic to aquatic life.

**Aquatic toxicity (ACUTE):** Not Established

**Chemical fate information:** Not Established

## SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal method:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of corrosivity as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

**For large spills:** Consult with local and state authorities for large volume disposal.

**Product disposal:** Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for intended purpose.

**Empty container:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

## SECTION 14: TRANSPORT INFORMATION

### DOT

Proper Shipping Name	Cleaning Compound, Cleaning Liquid
Technical Name	Potassium Hydroxide Solution
Primary Hazard Class/Division	8
UN/NA Number	1760
Packing Group	III
Placards	Corrosive
Label	Certain package sizes determine the proper labeling of containers. Consult manufacturer for specific information regarding proper labeling.
Other Shipping Information	Certain shipping modes and packaging sizes may have exceptions from the transport regulations. The classifications/information provided above may not reflect applicable exceptions. Contact the manufacturer for more specific information on the proper shipping of this material.
Special Shipping Notes	Quantities less than or equal to one (1) gallon = Limited Quantity not regulated.

### IATA/ICAO

Shipping Name	Contact manufacturer for more information.
---------------	--

**SECTION 15: REGULATORY INFORMATION****United States**

DOT label symbol and hazard classification



Corrosive

Limited  
Quantity  
Ground**Sara Title III (Superfund Amendments and Reauthorization Act)****311/312 Hazard Categories:** Health – Acute**Fire:** No **Pressure Generating:** No **Reactivity:** No **Acute:** Yes **Chronic:** No**313 Reportable Ingredients:** No listed substance**302/304 Emergency Planning****Emergency Plan:** No listed substance**CERCLA (Comprehensive Response, Compensation, and Liability Act)****CERCLA Regulatory:** Not Established

Chemical Name	Wt%	CERCLA RQ
Potassium Hydroxide	0-5	1,000

**TSCA (Toxic Substance Control Act)****TSCA Regulatory:** All ingredients are listed on the TSCA Chemical Inventory.**States with Special Requirements:** **Chemical**

Sodium Silicate

**Name Requirements**

Massachusetts Right To Know Substance  
 New Jersey Right To Know Substance  
 Potassium Hydroxide  
 Massachusetts Right To Know Substance  
 Pennsylvania Right To Know Substance  
 New Jersey Right To Know Substance  
 Rhode Island Right To Know Substance

**California Proposition 65:** No listed substance**Carcinogen:** No listed substance**SECTION 16: OTHER INFORMATION**

NFPA	Health Hazards 3	Flammability 0	Instability 0	Special Hazard
------	------------------	----------------	---------------	----------------

HMIS	Health Hazards 3	Flammability 0	Physical Hazard 0	Personal Protection D
------	------------------	----------------	-------------------	-----------------------

**WARNING!** If you scrape, sand or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and wet

mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD (5323) or log on to: [www.epa.gov/lead](http://www.epa.gov/lead)

**Manufacturer Disclaimer:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.