



HYDRO-FORCE™

SAFETY DATA SHEET

Supersedes Date: 06-Aug-2018

Revision Date: 06-Aug-2018

Version: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name Viper Peroxibright CTG
Other means of identification
UPC Code(s) Not applicable
Product code CH41
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Peroxide activated concrete, tile and grout cleaner and brightener.
Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

| | |
|--------------------------|-----------------------------|
| Supplier Address | Manufacturer Address |
| Hydro-Force | Bridgewater |
| 4282 South 590 West | 4282 South 590 West |
| Salt Lake City, UT 84123 | Salt Lake City, UT 84123 |
| USA | USA |

Emergency telephone number

Company Phone Number 1-801-268-2673
Company Emergency Phone Number United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)
International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)
Emergency telephone Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|-----------------------------------|------------|
| Acute toxicity - Inhalation | Category 4 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Oxidizing liquids | Category 3 |

GHS Label elements, including precautionary statements

Emergency Overview

Warning

Hazard Statements
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
May intensify fire; oxidizer



Appearance Clear Liquid

Physical state liquid

Odor Peroxide

Precautionary Statements - Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep away from heat
- Keep/Store away from clothing/ combustible materials
- Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Harmful to aquatic life with long lasting effects
- Harmful to aquatic life
 - General Hazards
 - Keep out of reach of children
 - Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade Secret |
|-----------------------------------|------------|----------|--------------|
| Hydrogen Peroxide | 7722-84-1 | <8 | * |
| ALCOHOLS, C9-11, ETHOXYLATED | 68439-46-3 | 1 - 5 | * |
| Propylene glycol monomethyl ether | 107-98-2 | 1 - 5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

| | |
|-----------------------------------|--|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required. |
| Toxic - Inhalation | Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician. |
| Ingestion | Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. |
| Protection of First-aiders | Use personal protective equipment. |

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use: Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Packaging material Keep product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|------------------------------|--|--|
| Hydrogen Peroxide 7722-84-1 | TWA: 1 ppm | TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³ | IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³ |
| Propylene glycol monomethyl ether 107-98-2 | STEL: 100 ppm TWA: 50 ppm | (vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³ | TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³ |

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|---|
| Eye/Face Protection | Tightly fitting safety goggles. Face-shield. |
| Skin and body protection | Wear protective gloves/ protective clothing. Chemical resistant apron. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| Hygiene measures | Provide regular cleaning of equipment, work area and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. |

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical and chemical properties**

| | | | |
|-----------------------|--------------|-----------------------|--------------------------|
| Physical state | liquid | Odor | Peroxide |
| Appearance | Clear Liquid | Odor threshold | No information available |
| Color | colorless | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> · <u>Method</u> |
|--|--------------------------|--------------------------------|
| pH | 4.5 | |
| Melting point | No information available | |
| Boiling point/boiling range | 230 °C / 446 °F | 230 |
| Flash Point | 115 °C / 240 °F | Lowest component |
| Evaporation rate | No information available | |
| Flammability (solid, gas) | No information available | |
| Flammability Limits in Air | | |
| Upper Flammability Limit | No information available | |
| Lower Flammability Limit | No information available | |
| Vapor pressure | 17.5 | |
| Vapor density | 0.823 | |
| Specific Gravity | 1.044 | |
| Water solubility | Soluble in water | |
| Solubility in other solvents | No information available | |
| Partition coefficient: n-octanol/water | No information available | |
| Autoignition temperature | 398 °C / 750 °F | |
| Decomposition temperature | No information available | |
| Viscosity, kinematic | No information available | 200 cps |
| Viscosity, dynamic | No information available | |
| Explosive properties | No information available | |
| Oxidizing Properties | No information available | |

Other information

| | |
|--------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content(%) | No information available |
| Density VALUE | No information available |
| Bulk Density VALUE | No information available |

10. STABILITY AND REACTIVITY**Reactivity****Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation May be harmful if inhaled. Avoid breathing vapors or mists.

Eye contact Risk of serious damage to eyes. Avoid contact with eyes.

Skin contact Irritating to skin. Avoid contact with skin.

Ingestion Do not taste or swallow. Ingestion may cause stomach discomfort. May cause irritation.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---|-------------------------|----------------------------------|
| Hydrogen Peroxide 7722-84-1 | = 801 mg/kg (Rat) | = 2000 mg/kg (Rabbit) | = 2 g/m ³ (Rat) 4 h |
| ALCOHOLS, C9-11, ETHOXYLATED 68439-46-3 | = 1400 mg/kg (Rat) = 1378 mg/kg (Rat) | > 2 g/kg (Rabbit) | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|---------|-----|------|
| Hydrogen Peroxide 7722-84-1 | A3 | Group 3 | | |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

Developmental Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic toxicity Avoid repeated exposure.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|--------------------------------------|-------------|
| ATEmix (oral) | 9268 mg/kg |
| ATEmix (dermal) | 12400 mg/kg |
| ATEmix (inhalation-gas) | 13484 mg/l |
| ATEmix (inhalation-dust/mist) | 42 mg/l |
| ATEmix (inhalation-vapor) | 64 mg/l |

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.34552% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|--------------------------------|-------------------|--|---|
| Hydrogen Peroxide 7722-84-1 | | 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 16.4: 96 h Pimephales promelas mg/L LC50 | 18 - 32: 48 h Daphnia magna mg/L EC50 Static |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|--------------------------------|---|
| Hydrogen Peroxide 7722-84-1 | Toxic Corrosive Ignitable Reactive |

14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL/NDSL

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|--------------------------------|--------------------------|------------------------------------|----|
| Hydrogen Peroxide 7722-84-1 | | 1000 lb | |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Hydrogen Peroxide 7722-84-1 | X | X | X |

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

| | | | | |
|--------------------|-----------------|----------------|-------------------|---------------------------------|
| <u>NFPA</u> | Health hazard 2 | Flammability 2 | Instability 0 | Physical and chemical hazards - |
| <u>HMIS</u> | Health hazard 2 | Flammability 2 | Physical Hazard 0 | Personal protection X |

Prepared By Bridgewater
 Environmental Health & Safety
Revision Date 06-Aug-2018
Revision Note
 No information available

Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet